

# EmiratesGreen

الامارات الخضراء لتجارته المعدات الكهربائية والميكانيكية  
**EmiratesGreen** Electrical & Mechanical Trading Est.

P.O. Box: 110507 | Phone: +971 2 491 0 757 | Abu Dhabi, U.A.E  
Email: [solar@emiratesgreen.com](mailto:solar@emiratesgreen.com) | Web: [www.emiratesgreen.ae](http://www.emiratesgreen.ae)

# FXR Inverter/Charger Temperature De-rating

## Models: All FX Series Inverter/chargers

All OutBack FXR inverters can deliver their full rated wattage at temperatures up to 25°C (77°F). OutBack FXR inverter maximum wattage has a lower rating at higher temperatures. Above 25°C, the FXR is derated by a factor of approximately 1%/C°. Note: in OutBack product literature, at maximum temperature extremes product performance is stated as “functions, but does not necessarily meet all component specifications” for this reason.

The following graphs show the FXR wattage decreasing with increased temperature. The graph ends at 60° because FXR inverters are not rated for operation above that temperature.




Figure 1: Power/Temperature de-rating for FXR 60Hz models

**FXR Power/Temperature Derating Curves for 50Hz Inverter/Chargers**




Figure 2: Power/Temperature de-rating for FXR 50Hz models

# Application Note

## About OutBack Power Technologies

OutBack Power Technologies is a leader in off-grid and Grid/Hybrid advanced energy conversion technology. OutBack products include true sine-wave inverter/chargers, maximum power point tracking charge controllers, batteries, and system communication components, pre-assembled systems, and accessories.

## Contact Information

### Corporate Headquarters

17825 – 59th Avenue N.E., Suite B  
Arlington, WA 98223 USA

+1.360.435.6030

+1.360.618.4363 (Technical Support)

+1.360.435.6019 (Fax)

Email: [Support@outbackpower.com](mailto:Support@outbackpower.com)

Website: <http://www.outbackpower.com>

### European Office

Hansastraße 8  
D-91126  
Schwabach, Germany

+49.9122.79889.0

+49.9122.79889.21 (Fax)

Email: [re.support@alphatechnologies.de](mailto:re.support@alphatechnologies.de)

### Asia Office

Suite 1903, Tower 1, China Hong Kong City  
33 Canton Road, Kowloon  
Hong Kong

+852.2736.8663

+852.2199.7988 (Fax)

### Latin American Office

15105 Cedar Bluff Pl.  
Wellington, FL 33414 USA

+1.561.792.9651

+1.561.792.7157 (Fax)

## Disclaimers: UNLESS SPECIFICALLY AGREED TO IN WRITING, OUTBACK POWER TECHNOLOGIES...

- A. MAKES NO WARRANTY AS TO THE ACCURACY, SUFFICIENCY OR SUITABILITY OF ANY TECHNICAL OR OTHER INFORMATION PROVIDED IN ITS MANUALS OR OTHER DOCUMENTATION.
- B. ASSUMES NO RESPONSIBILITY OR LIABILITY FOR LOSS OR DAMAGE, WHETHER DIRECT, INDIRECT, CONSEQUENTIAL OR INCIDENTAL, WHICH MIGHT ARISE OUT OF THE USE OF SUCH INFORMATION. THE USE OF ANY SUCH INFORMATION WILL BE ENTIRELY AT THE USER'S RISK.
- C. OUTBACK POWER TECHNOLOGIES ASSUMED NO RESPONSIBILITY FOR SYSTEM FAILURE, DAMAGES, OR INJURY RESULTING FROM IMPROPER INSTALLATION OR MIS-USE OF ITS PRODUCTS. INFORMATION INCLUDED IN THIS TECH NOTE IS SUBJECT TO CHANGE WITHOUT NOTICE.