

EmiratesGreen

الامارات الخضراء لتجارته المعدات الكهربائية والميكانيكية
EmiratesGreen Electrical & Mechanical Trading Est.

P.O. Box: 110507 | Phone: +971 2 491 0 757 | Abu Dhabi, U.A.E
Email: solar@emiratesgreen.com | Web: www.emiratesgreen.ae



Integrated Battery Racks

Comprehensive Battery Enclosure Solution with Cell Interconnect



- Ideal for Use with OutBack Radian, FLEXpower and FLEXcoupled Systems
- Fast Installation
- Supports Multiple 48V Strings of OutBack EnergyCell RE or GH AGM Batteries
- Overcurrent Protection on Each Battery String Provides Added Safety and Flexibility
- Well-Ventilated for Increased Battery Safety and Longevity
- Protective Terminal Covers
- Space-Saving Design with Smaller Footprint
- Designed to Meet UL1741

With the PV energy storage market expected to reach nearly \$30 billion USD by 2017* and interest growing for smarter grid-interactive and AC-coupled systems, the demand for more versatile, flexible and cost-effective battery-bank deployment solutions for commercial and residential systems is increasing as a result.

OutBack Power has responded with a line of preassembled battery racks designed to meet the needs of system integrators and installers and provide the best of both worlds: OutBack quality in a more easily specified and installed package.

The innovative OutBack Integrated Battery Rack system is a comprehensive battery enclosure which includes all cell interconnects, cabling, and series string over current protection and disconnects. All electrical connections are made at the factory and ship fully assembled with the exception of the batteries, which can be quickly added and

connected on the job site, making the Integrated Battery Rack uniquely easy to specify, order and install.

Unlike typical steel racks or sheet-metal enclosures, the OutBack design is crafted of powder coated aluminum, resulting in a cleaner appearance able to withstand the most challenging environments— while weighing less than 90 pounds. The 2-shelf IBR-2 is sized to fit under an OutBack Radian inverter/charger to reduce system component “clutter” and make the best use of installation space. Clear covers on the racks permit visual inspection of internal components while providing additional protection for the batteries and electrical connections.

*IHS Research 2013 report, “The Potential for Energy Storage in the PV Industry”

Models:	IBR-2-48-175	IBR-3-48-175
Dimensions H x W x D (in/cm)	33 x 27.0 x 21.25 / 83.8 x 68.6 x 54	48.6 x 27.0 x 24.4 / 123.4 x 68.6 x 61.9
Weight	60 lbs (27 kg) without batteries	89 lbs (40.4 kg) without batteries
Physical Characteristics	0.125-inch thick aluminum enclosure with FLEXware silver finish; plated copper bus bars and clear protective covers. Ships fully assembled (except for batteries)	
String Overcurrent Protection	175ADC	175ADC
Gauge of Conductors	1/0 AWG	1/0 AWG
Capacity	Up to 8 EnergyCell batteries	Up to 12 EnergyCell batteries
Nominal System Voltage	48VDC	48VDC
Supported Batteries*	EnergyCell 200RE, EnergyCell 170RE, EnergyCell 200GH, EnergyCell 220GH	EnergyCell 200RE, EnergyCell 170RE, EnergyCell 200GH, EnergyCell 220GH

*Batteries are sold separately

Worldwide Corporate Offices

North America	Latin America	Europe	Asia Pacific
Tel: +1 360.435.6030	Tel: +1 561.792.9651	Tel: +49 9122.79889.0	Tel: +852 2736.8663
Fax: +1 360.435.6019	Fax: +1 561.792.7157	Fax: +49 9122.79889.21	Fax: +852 2199.7988

AVAILABLE FROM

